


Steampunk Armillary Assembly Instructions by Fiona Randall



Layout the items for your kit as shown as we will be using these for the first part of the assembly.



Glue the semi circle piece into the base as shown.




Glue one of the ornate gear pieces (back) into the slots on the base as shown.




Glue the other ornate gear piece (front) onto the opposite side of the semi circle into the slots on the base as shown.



Take the largest of the three circles and glue into place lining up the slots over the tabs as shown.



Take the second largest circle and glue into place lining up the slots over the tabs as shown. These two circles should now sit nice and flush.




Next take the smallest of your three circles and glue into place as shown making sure you have equal spacing around the perimeter of the circle below.



Glue into place your small sun element on top of the small circle as shown.



Take out the three pieces as shown.




Glue the compasses either side of the ring as shown making sure they are both aligned. You can now paint your piece before the next step.



Gather your two rings. Notice how one of the rings has notches on it. It is a good idea to paint these as it will be tricky when complete.



with the ring with the notches cut out attach to the large ring as shown. (your compasses are attached to this as in previous photo this is just for assembly information purpose only)



Your second ring without the notches can now be glued into place by sliding over the first ring and slotting into the notches as shown.



Paint your clock hand.



This is then glued into place on top of your decorated base and the clock hand added as shown. Thank You

